



METALTECNICA
Italian catering equipment

Exhaust hood



Air inlet unit, motor with 2 speeds, cap. mc/h 6000, prevalence hs20,
cm 145x105x85h - RTA60

Dimension:

Length: 145.0 mm

Depth: 105.0 mm
 Height: 85.0 mm
 Weight: 120.0 kg
 Volume: 1.07 m³
 Packaging length: 155.0 mm
 Packaging depth: 115.0 mm
 Packaging height: 95.0 mm
 Packaging weight: 135.0 kg
 Packaging volume: 1.69 m³

Options:

Model:
RTA100 - Air inlet unit, motor with 2 speeds, cap. mc/h 10000, prevalence hs20, cm 165x125x110h
RTA120 - Air inlet unit, motor with 2 speeds, cap. mc/h 12000, prevalence hs20, cm 165x140x120h
RTA150 - Air inlet unit, motor with 2 speeds, cap. mc/h 15000, prevalence hs20, cm 165x175x120h
RTA180 - Air inlet unit, motor with 2 speeds, cap. mc/h 18000, prevalence hs20, cm 165x175x120h
RTA20 - Air inlet unit, motor with 2 speeds, cap. mc/h 2000, prevalence hs15, cm 110x70x65h
RTA30 - Air inlet unit, motor with 2 speeds, cap. mc/h 3000, prevalence hs15, cm 120x80x65h
RTA40 - Air inlet unit, motor with 2 speeds, cap. mc/h 4000, prevalence hs15, cm 135x85x75h
RTA50 - Air inlet unit, motor with 2 speeds, cap. mc/h 5000, prevalence hs20, cm 135x95x85h
RTA70 - Air inlet unit, motor with 2 speeds, cap. mc/h 7000, prevalence hs20, cm 150x110x100h

RTA80 - Air inlet unit, motor with 2 speeds, cap. mc/h 8000, prevalence hs20, cm
150x115x105h

RTA90 - Air inlet unit, motor with 2 speeds, cap. mc/h 9000, prevalence hs20, cm
165x120x110h