



METALTECNICA
Italian catering equipment

Exhaust hood



Air inlet unit, motor with 2 speeds, cap. mc/h 9000, prevalence hs20,
cm 165x120x110h - RTA90LPV

Dimension:

Length: 165.0 mm

Depth: 120.0 mm
 Height: 110.0 mm
 Weight: 175.0 kg
 Volume: 2.31 mq
 Packaging length: 175.0 mm
 Packaging depth: 130.0 mm
 Packaging height: 120.0 mm
 Packaging weight: 190.0 kg
 Packaging volume: 2.73 mq

Options:

Model:
RTA100LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 10000, prevalence hs20, cm 165x125x110h
RTA120LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 12000, prevalence hs20, cm 165x140x120h
RTA150LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 15000, prevalence hs20, cm 165x175x120h
RTA180LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 18000, prevalence hs20, cm 165x175x120h
RTA20LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 2000, prevalence hs15, cm 110x70x65h
RTA30LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 3000, prevalence hs15, cm 120x80x65h
RTA40LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 4000, prevalence hs15, cm 135x85x75h
RTA50LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 5000, prevalence hs20, cm 135x95x85h
RTA60/LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 6000, prevalence hs20, cm 145x105x85h

RTA70LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 7000, prevalence hs20, cm
150x110x100h

RTA80LPV - Air inlet unit, motor with 2 speeds, cap. mc/h 8000, prevalence hs20, cm
150x115x105h