



**METALTECNICA**  
Italian catering equipment

---

## Exhaust hood

---



Aspirator ACC line with direct linked single-phase motor, cap. 5200 mc/h, 925 rpm, prev. Hs 24, 736 W - ACC76MLPV

### **Dimension:**

Length: 70.0 mm

Depth: 70.0 mm  
Height: 70.0 mm  
Weight: 66.0 kg  
Volume: 0.32 m<sup>3</sup>  
Packaging length: 80.0 mm  
Packaging depth: 80.0 mm  
Packaging height: 80.0 mm  
Packaging weight: 81.0 kg  
Packaging volume: 0.51 m<sup>3</sup>

### Options:

Model:
<b>ACC14LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 1300 mc/h, 1300 rpm, prev. Hs 16, 147 W
<b>ACC16LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 1200 mc/h, 900 rpm, prev. Hs 8, 62 W
<b>ACC24LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 1380 rpm, prev. Hs 26, 373 W
<b>ACC34LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 1380 rpm, prev. Hs 35, 373 W
<b>ACC440LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 2500 mc/h, 1380 rpm, prev. Hs 42, 373 W
<b>ACC44LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 1200 mc/h, 930 rpm, prev. Hs 20, 245 W
<b>ACC46LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 900 rpm, prev. Hs 8, 62 W
<b>ACC56LPV</b> - Aspirator ACC line with direct linked single-phase motor, cap. 3200 mc/h, 1440 rpm, prev. Hs 42, 550 W
<b>ACC64TLPV</b> - Aspirator ACC line with direct linked three-phase motor, cap. 5200 mc/h, 900 rpm, prev. Hs 25, 1100 W

**ACC66MLPV** - Aspirator ACC line with direct linked single-phase motor, cap. 2800 mc/h, 930 rpm, prev. Hs 12, 245 W

**ACC74TLPV** - Aspirator ACC line with direct linked three-phase motor, cap. 6500 mc/h, 900 rpm, prev. Hs 24, 1100 W