



METALTECNICA
Italian catering equipment

Exhaust hood



Aspirator through transmission CBR line 1 speed, cap. 6000 mc/h,
prevalence hs 60, 3,00 Hp - CBR-129/4INOX

Dimension:

Length: 95.0 mm

Depth: 75.0 mm
 Height: 75.0 mm
 Weight: 76.0 kg
 Volume: 0.43 mq
 Packaging length: 105.0 mm
 Packaging depth: 85.0 mm
 Packaging height: 85.0 mm
 Packaging weight: 91.0 kg
 Packaging volume: 0.76 mq

Options:

Model:
CBR-101/1INOX - Aspirator through transmission CBR line 1 speed, cap. 3000 mc/h, prevalence hs 30, 0,75 Hp
CBR-101/2INOX - Aspirator through transmission CBR line 1 speed, cap. 4000 mc/h, prevalence hs 30, 1,00 Hp
CBR-101/3INOX - Aspirator through transmission CBR line 1 speed, cap. 4000 mc/h, prevalence hs 40, 1,50 Hp
CBR-108/1INOX - Aspirator through transmission CBR line 1 speed, cap. 2500 mc/h, prevalence hs 30, 0,75 Hp
CBR-108/2INOX - Aspirator through transmission CBR line 1 speed, cap. 3000 mc/h, prevalence hs 30, 1,00 Hp
CBR-108/3INOX - Aspirator through transmission CBR line 1 speed, cap. 3000 mc/h, prevalence hs 40, 1,50 Hp
CBR-122/1INOX - Aspirator through transmission CBR line 1 speed, cap. 5000 mc/h, prevalence hs 20, 1,00 Hp
CBR-122/2INOX - Aspirator through transmission CBR line 1 speed, cap. 6000 mc/h, prevalence hs 20, 1,50 Hp
CBR-122/3INOX - Aspirator through transmission CBR line 1 speed, cap. 6000 mc/h, prevalence hs 40, 2,00 Hp

CBR-122/4INOX - Aspirator through transmission CBR line 1 speed, cap. 7000 mc/h, prevalence hs 40, 3,00 Hp
CBR-129/1INOX - Aspirator through transmission CBR line 1 speed, cap. 4000 mc/h, prevalence hs 30, 1,00 Hp
CBR-129/2INOX - Aspirator through transmission CBR line 1 speed, cap. 5000 mc/h, prevalence hs 30, 1,50 Hp
CBR-129/3INOX - Aspirator through transmission CBR line 1 speed, cap. 5000 mc/h, prevalence hs 40, 2,00 Hp
CBR-151/1INOX - Aspirator through transmission CBR line 1 speed, cap. 5000 mc/h, prevalence hs 30, 1,50 Hp
CBR-151/2INOX - Aspirator through transmission CBR line 1 speed, cap. 6000 mc/h, prevalence hs 40, 2,00 Hp
CBR-151/3INOX - Aspirator through transmission CBR line 1 speed, cap. 6000 mc/h, prevalence hs 60, 3,00 Hp
CBR-155/1INOX - Aspirator through transmission CBR line 1 speed, cap. 8000 mc/h, prevalence hs 20, 1,50 Hp
CBR-155/2INOX - Aspirator through transmission CBR line 1 speed, cap. 7500 mc/h, prevalence hs 30, 2,00 Hp
CBR-155/3INOX - Aspirator through transmission CBR line 1 speed, cap. 8000 mc/h, prevalence hs 40, 3,00 Hp
CBR-183/1INOX - Aspirator through transmission CBR line 1 speed, cap. 7500 mc/h, prevalence hs 40, 2,00 Hp
CBR-183/2INOX - Aspirator through transmission CBR line 1 speed, cap. 8000 mc/h, prevalence hs 50, 3,00 Hp
CBR-183/3INOX - Aspirator through transmission CBR line 1 speed, cap. 10000 mc/h, prevalence hs 60, 4,00 Hp
CBR-188/1INOX - Aspirator through transmission CBR line 1 speed, cap. 9000 mc/h, prevalence hs 30, 2,00 Hp
CBR-188/2INOX - Aspirator through transmission CBR line 1 speed, cap. 10000 mc/h, prevalence hs 40, 3,00 Hp
CBR-188/3INOX - Aspirator through transmission CBR line 1 speed, cap. 12000 mc/h,

prevalence hs 40, 4,00 Hp

CBR-188/4INOX - Aspirator through transmission CBR line 1 speed, cap. 14000 mc/h,
prevalence hs 50, 5,50 Hp

CBR-256/1INOX - Aspirator through transmission CBR line 1 speed, cap. 18000 mc/h,
prevalence hs 50, 7,50 Hp

CBR-256/2INOX - Aspirator through transmission CBR line 1 speed, cap. 20000 mc/h,
prevalence hs 60, 10,00 Hp

CBR-263/1INOX - Aspirator through transmission CBR line 1 speed, cap. 24000 mc/h,
prevalence hs 50, 10,00 Hp

CBR-263/2INOX - Aspirator through transmission CBR line 1 speed, cap. 26000 mc/h,
prevalence hs 60, 15,00 Hp

CBR-271/1INOX - Aspirator through transmission CBR line 1 speed, cap. 28000 mc/h,
prevalence hs 50, 10,00 Hp

CBR-271/2INOX - Aspirator through transmission CBR line 1 speed, cap. 32000 mc/h,
prevalence hs 60, 15,00 Hp