



METALTECNICA
Italian catering equipment

Furnishing



Cabinet table with sliding doors with s/s underpaneling - mm
1300x700x850 h - TAV/I3

Dimension:

Length: 1300.0 mm

Depth: 700.0 mm
Height: 850.0 mm
Weight: 71.0 kg
Volume: 0.77 mq
Packaging length: 1450.0 mm
Packaging depth: 750.0 mm
Packaging height: 1100.0 mm
Packaging weight: 92.0 kg
Packaging volume: 1.2 mq

Options:

Model:
TAV/10 - Cabinet table with sliding doors with s/s underpaneling - mm 1000x700x850 h
TAV/11 - Cabinet table with sliding doors with s/s underpaneling - mm 1100x700x850 h
TAV/12 - Cabinet table with sliding doors with s/s underpaneling - mm 1200x700x850 h
TAV/14 - Cabinet table with sliding doors with s/s underpaneling - mm 1400x700x850 h
TAV/15 - Cabinet table with sliding doors with s/s underpaneling - mm 1500x700x850 h
TAV/16 - Cabinet table with sliding doors with s/s underpaneling - mm 1600x700x850 h
TAV/17 - Cabinet table with sliding doors with s/s underpaneling - mm 1700x700x850 h
TAV/18 - Cabinet table with sliding doors with s/s underpaneling - mm 1800x700x850 h
TAV/19 - Cabinet table with sliding doors with s/s underpaneling - mm 1900x700x850 h
TAV/20 - Cabinet table with sliding doors with s/s underpaneling - mm

2000x700x850 h
TAV/21 - Cabinet table with sliding doors with s/s underpaneling - mm 2100x700x850 h
TAV/22 - Cabinet table with sliding doors with s/s underpaneling - mm 2200x700x850 h
TAV/23 - Cabinet table with sliding doors with s/s underpaneling - mm 2300x700x850 h
TAV/24 - Cabinet table with sliding doors with s/s underpaneling - mm 2400x700x850 h
TAV/25 - Cabinet table with sliding doors with s/s underpaneling - mm 2500x700x850 h
TAV/26 - Cabinet table with sliding doors with s/s underpaneling - mm 2600x700x850 h
TAV/27 - Cabinet table with sliding doors with s/s underpaneling - mm 2700x700x850 h
TAV/28 - Cabinet table with sliding doors with s/s underpaneling - mm 2800x700x850 h
TAV/29 - Cabinet table with sliding doors with s/s underpaneling - mm 2900x700x850 h
TAV/30 - Cabinet table with sliding doors with s/s underpaneling - mm 3000x700x850 h