



**METALTECNICA**  
Italian catering equipment

## Trolley



Trolley for trays, stainless steel double skin frame, cap 8 trays GN-EN heated with 1 door - dim. 770x750x1560h mm - 680.AS

### **Dimension:**

Length: 770.0 mm

Depth: 750.0 mm  
Height: 1560.0 mm  
Weight: 80.0 kg  
Volume: 0.9 m³  
Packaging length: 960.0 mm  
Packaging depth: 910.0 mm  
Packaging height: 2200.0 mm  
Packaging weight: 90.0 kg  
Packaging volume: 1.92 m³

### Options:

Model:
<b>680.AG</b> - Trolley for containers, stainless steel double skin frame, cap. 14 containers GN1/1 heated with 1 door - dim. 770x750x1560h mm
<b>680.AP</b> - Trolley for pans, stainless steel double skin frame, heated, cap. 14 pans 40x60 cm with 1 door - dim. 770x750x1560h mm
<b>681.AG</b> - Trolley for containers, double skin frame , cap. 28 containers GN1/1 heated with 2 doors - dim. 1320x750x1560h mm
<b>681.AP</b> - Trolley for pans, double skin structure, cap. 28 pans 40x60 cm heated with 2 doors - mm 1320x750x1560h mm
<b>681.AS</b> - Trolley for trays, double skin frame cap. 16 trays GN-EN heated with 2 doors - dim. 1320x750x1560h mm
<b>690.AG</b> - Trolley for containers, stainless steel double skin frame, cap. 20 containers GN1/1 heated with 1 door - dim. 770x750x2000h mm
<b>690.AP</b> - Trolley for pans, stainless steel double skin frame, heated, cap. 20 pans 40x60 cm with 1 door - dim. 770x750x2000h mm
<b>690.AS</b> - Trolley for trays, stainless steel double skin frame, cap 12 trays GN-EN heated with 1 door - dim. 770x750x2000h mm
<b>691.AG</b> - Trolley for containers, double skin frame , cap. 40 containers GN1/1 heated with 2 doors - dim. 1320x750x2000h mm

**691.AP** - Trolley for pans, double skin structure, cap. 40 pans 40x60 cm heated with 2 doors - mm 1320x750x2000h mm

**691.AS** - Trolley for trays, double skin frame cap. 24 trays GN-EN heated with 2 doors - dim. 1320x750x2000h mm