



METALTECNICA
Italian catering equipment

Exhaust hood



Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 900 rpm, prev. Hs 8, 62 W - ACC46INOX

Dimension:

Length: 65.0 mm

Depth: 65.0 mm
 Height: 65.0 mm
 Weight: 39.0 kg
 Volume: 0.17 m³
 Packaging length: 75.0 mm
 Packaging depth: 75.0 mm
 Packaging height: 75.0 mm
 Packaging weight: 54.0 kg
 Packaging volume: 0.42 m³

Options:

Model:
ACC14INOX - Aspirator ACC line with direct linked single-phase motor, cap. 1300 mc/h, 1300 rpm, prev. Hs 16, 147 W
ACC16INOX - Aspirator ACC line with direct linked single-phase motor, cap. 1200 mc/h, 900 rpm, prev. Hs 8, 62 W
ACC24INOX - Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 1380 rpm, prev. Hs 26, 373 W
ACC34INOX - Aspirator ACC line with direct linked single-phase motor, cap. 2400 mc/h, 1380 rpm, prev. Hs 35, 373 W
ACC440INOX - Aspirator ACC line with direct linked single-phase motor, cap. 2500 mc/h, 1380 rpm, prev. Hs 42, 373 W
ACC44INOX - Aspirator ACC line with direct linked single-phase motor, cap. 1200 mc/h, 930 rpm, prev. Hs 20, 245 W
ACC56INOX - Aspirator ACC line with direct linked single-phase motor, cap. 3200 mc/h, 1440 rpm, prev. Hs 42, 550 W
ACC64TINOX - Aspirator ACC line with direct linked three-phase motor, cap. 5200 mc/h, 900 rpm, prev. Hs 25, 1100 W
ACC66MINOX - Aspirator ACC line with direct linked single-phase motor, cap. 2800 mc/h, 930 rpm, prev. Hs 12, 245 W

ACC74TINOX - Aspirator ACC line with direct linked three-phase motor, cap. 6500 mc/h, 900 rpm, prev. Hs 24, 1100 W

ACC76MINOX - Aspirator ACC line with direct linked single-phase motor, cap. 5200 mc/h, 925 rpm, prev. Hs 24, 736 W