

Furnishing



Cabinet table with sliding doors with s/s underpaneling - mm 2600x600x850 h - TAV6/26

Dimension:

Length: 2600.0 mm

Depth: 600.0 mm Height: 850.0 mm Weight: 118.0 kg Volume: 1.33 mq Packaging length: 2700.0 mm Packaging depth: 700.0 mm Packaging height: 1100.0 mm Packaging weight: 161.0 kg Packaging volume: 2.08 mq

Options:

Model:

TAV6/10 - Cabinet table with sliding doors with s/s underpaneling - mm 1000x600x850 h

TAV6/11 - Cabinet table with sliding doors with s/s underpaneling - mm 1100x600x850 h

TAV6/12 - Cabinet table with sliding doors with s/s underpaneling - mm 1200x600x850 h

TAV6/13 - Cabinet table with sliding doors with s/s underpaneling - mm 1300x600x850 h

TAV6/14 - Cabinet table with sliding doors with s/s underpaneling - mm 1400x600x850 h

TAV6/15 - Cabinet table with sliding doors with s/s underpaneling - mm 1500x600x850 h

TAV6/16 - Cabinet table with sliding doors with s/s underpaneling - mm 1600x600x850 h

TAV6/17 - Cabinet table with sliding doors with s/s underpaneling - mm 1700x600x850 h

TAV6/18 - Cabinet table with sliding doors with s/s underpaneling - mm 1800x600x850 h **TAV6/19** - Cabinet table with sliding doors with s/s underpaneling - mm 1900x600x850 h

TAV6/20 - Cabinet table with sliding doors with s/s underpaneling - mm 2000x600x850 h

TAV6/21 - Cabinet table with sliding doors with s/s underpaneling - mm 2100x600x850 h

TAV6/22 - Cabinet table with sliding doors with s/s underpaneling - mm 2200x600x850 h

TAV6/23 - Cabinet table with sliding doors with s/s underpaneling - mm 2300x600x850 h

TAV6/24 - Cabinet table with sliding doors with s/s underpaneling - mm 2400x600x850 h

TAV6/25 - Cabinet table with sliding doors with s/s underpaneling - mm 2500x600x850 h

TAV6/27 - Cabinet table with sliding doors with s/s underpaneling - mm 2700x600x850 h

TAV6/28 - Cabinet table with sliding doors with s/s underpaneling - mm 2800x600x850 h

TAV6/29 - Cabinet table with sliding doors with s/s underpaneling - mm 2900x600x850 h

TAV6/30 - Cabinet table with sliding doors with s/s underpaneling - mm 3000x600x850 h