

Furnishing



Heated, ventilated cabinet table with double skin sliding - doors mm 2500x700x850 h - TAVR/25

Dimension:

Length: 2500.0 mm

Depth: 700.0 mm Height: 850.0 mm Weight: 146.0 kg Volume: 1.49 mq Packaging length: 2600.0 mm Packaging depth: 800.0 mm Packaging height: 1100.0 mm Packaging weight: 188.0 kg Packaging volume: 2.29 mg

Options:

Model:

TAVR/12 - Heated, ventilated cabinet table with double skin sliding - doors mm 1200x700x850 h

TAVR/13 - Heated, ventilated cabinet table with double skin sliding - doors mm 1300x700x850 h

TAVR/14 - Heated, ventilated cabinet table with double skin sliding - doors mm 1400x700x850 h

TAVR/15 - Heated, ventilated cabinet table with double skin sliding - doors mm 1500x700x850 h

TAVR/16 - Heated, ventilated cabinet table with double skin sliding - doors mm 1600x700x850 h

TAVR/17 - Heated, ventilated cabinet table with double skin sliding - doors mm 1700x700x850 h

TAVR/18 - Heated, ventilated cabinet table with double skin sliding - doors mm 1800x700x850 h

TAVR/19 - Heated, ventilated cabinet table with double skin sliding - doors mm 1900x700x850 h

TAVR/20 - Heated, ventilated cabinet table with double skin sliding - doors mm 2000x700x850 h

TAVR/21 - Heated, ventilated cabinet table with double skin sliding - doors mm 2100x700x850 h

TAVR/22 - Heated, ventilated cabinet table with double skin sliding - doors mm 2200x700x850 h

TAVR/23 - Heated, ventilated cabinet table with double skin sliding - doors mm 2300x700x850 h

TAVR/24 - Heated, ventilated cabinet table with double skin sliding - doors mm 2400x700x850 h

TAVR/26 - Heated, ventilated cabinet table with double skin sliding - doors mm 2600x700x850 h

TAVR/27 - Heated, ventilated cabinet table with double skin sliding - doors mm 2700x700x850 h

TAVR/28 - Heated, ventilated cabinet table with double skin sliding - doors mm 2800x700x850 h

TAVR/29 - Heated, ventilated cabinet table with double skin sliding - doors mm 2900x700x850 h

TAVR/30 - Heated, ventilated cabinet table with double skin sliding - doors mm 3000x700x850 h