

Trolley



Heated dishes distributor with 2 adjustable columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and corner bumper. Lids included. Static version with mechanical thermostat +30° - +90°C, 900 W - 230 V 50/60 Hz.. Capacity 100-120 dishes, diam 28/32 Dim. mm 1130x530x1060 h - CSG/2S

Dimension:

Length: 1130.0 mm Depth: 530.0 mm Height: 1060.0 mm Weight: 63.0 kg Volume: 0.63 mq Packaging length: 1250.0 mm Packaging depth: 750.0 mm Packaging height: 1260.0 mm Packaging weight: 73.0 kg Packaging volume: 1.18 mq

Options:

Model:

CSG/2C - Heated dishes distributor with 2 adjustable columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and corner bumper. Lids included. Digital thermostatic regulation +30° - +90°C, 900 W - 230 V 50/60 Hz. Capacity 100-120 dishes, diam 28/32. Dim. mm 1130x530x1060 h

CSL/2C - Heated dishes distributor with 2 fixed columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and corner bumper. Lids included. Digital thermostatic regulation +30° - +90°C, 900 W - 230 V 50/60 Hz. Capacity 100-120 dishes, diam 16/21. Dim. mm 1030x480x1060 h

CSL/2S - Heated dishes distributor with 2 fixed columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and corner bumper. Lids included. Static version with mechanical thermostat +30° - +90°C, 900 W - 230 V 50/60 Hz.. Capacity 100-120 dishes, diam 16/21 Dim. mm 1030x480x1060 h

CSP/2C - Heated dishes distributor with 2 adjustable columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and corner bumper. Lids included. Digital thermostatic regulation +30° - +90°C, 900 W - 230 V 50/60 Hz. Capacity 100-120 dishes, diam 18/28. Dim. mm 1030x480x1060 h

CSP/2S - Heated dishes distributor with 2 adjustable columns. Entirely made in 18/10 stainless steel with 2 fixed wheels and 2 swivelling with brake diam. 125 mm and

corner bumper. Lids included. Static version with mechanical thermostat +30° - +90°C, 900 W - 230 V 50/60 Hz.. Capacity 100-120 dishes, diam 18/28 Dim. mm 1030x480x1060 h