



METALTECNICA
Italian catering equipment

Trolley



Heated trolley for meals with printed compartments, dry heating, top with anti-drop board, 1 heated + 1 neutral undercompartments with swing doors, capacity n. 4 GN 1/1 h 200 + n. 2 GN 1/1 h 40, capacity 80/90 meals, dim. mm 850x700x900 h, 500 W - 050.AB/1

Dimension:

Length: 850.0 mm

Depth: 700.0 mm

Height: 900.0 mm

Weight: 50.0 kg

Volume: 0.54 mq

Packaging length: 1050.0 mm

Packaging depth: 750.0 mm

Packaging height: 1100.0 mm

Packaging weight: 60.0 kg

Packaging volume: 0.87 mq

Options:**Model:**

050.AB/0 - Heated trolley for meals with printed compartments, top with anti-drop board, 2 neutral undercompartments with swing doors, capacity n. 4 GN 1/1 h 200 + n. 2 GN 1/1 h 40, capacity 80/90 meals, dim. mm 850x700x900 h

050.AB/2 - Heated trolley for meals with printed compartments, dry heating, top with anti-drop board, 2 heated undercompartments with swing doors, capacity n. 4 GN 1/1 h 200 + n. 2 GN 1/1 h 40, capacity 80/90 meals, dim. mm 850x700x900 h, 1000 W

050.AC/0 - Heated trolley for meals with printed compartments, top with anti-drop board, 3 neutral undercompartments with swing doors, capacity n. 6 GN 1/1 h 200 + n.3 GN 1/1 h 40, capacity 120/130 meals, dim. mm 1200x700x900 h

050.AC/1 - Heated trolley for meals with printed compartments, dry heating, top with anti-drop board, 1 heated + 2 neutral undercompartments with swing doors, capacity n. 6 GN 1/1 h 200 + n.3 GN 1/1 h 40, capacity 120/130 meals, dim. mm 1200x700x900 h, 500 W

050.AC/2 - Heated trolley for meals with printed compartments, dry heating, top with anti-drop board, 2 heated + 1 neutral undercompartments with swing doors, capacity n. 6 GN 1/1 h 200 + n.3 GN 1/1 h 40, capacity 120/130 meals, dim. mm 1200x700x900 h, 1000 W

050.AC/3 - Heated trolley for meals with printed compartments, dry heating, top with

anti-drop board, 3 heated undercompartments with swing doors, capacity n. 6 GN 1/1 h 200 + n.3 GN 1/1 h 40, capacity 120/130 meals, dim. mm 1200x700x900 h, 1500 W