



METALTECNICA  
Italian catering equipment

---

## Trolley

---



Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers. Capacity 30 gastronorm trays, dim. mm 1150x600x1540 h - 639.AS

## Dimension:

Length: 1150.0 mm

Depth: 600.0 mm

Height: 1540.0 mm

Weight: 52.0 kg

Volume: 1.06 mq

Packaging length: 1600.0 mm

Packaging depth: 650.0 mm

Packaging height: 400.0 mm

Packaging weight: 57.0 kg

Packaging volume: 0.42 mq

## Options:

### Model:

**637.AS** - Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers. Capacity 10 gastronorm trays, dim. mm 450x600x1540 h

**637.ES** - Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers. Capacity 10 euronorm trays, dim. mm 490x600x1540 h

**638.AS** - Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers. Capacity 20 gastronorm trays, dim. mm 800x600x1540 h

**638.ES** - Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers. Capacity 20 euronorm trays, dim. mm 890x600x1540 h

**639.ES** - Trolley for trays with upper shelf and railing. Frame made in 18/10 AISI 304 stainless, square tube 20x20 mm. Covered on 3 sides with thick-antiacid laminated panels. Upper shelf and railing. 4 swivelling wheels Ø 125mm, rubber bumpers.

Capacity 30 euronorm trays, dim. mm 1290x600x1540 h